

# PRICES LIST & COMPARE ALL FEATURES



**Hitech Terminal Pro 70**  
Features

- SMS Character: 70 Characters
- Speed: Up to 20.000 SMS / hour\*
- Radius: up to 500m - 2km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: ✓
- Multiple Operator: ✓
- Multiple ARFCN: ✓
- SMS Receiver Memory: ✓

**Price: USD 3750,-**



**Hitech Terminal Pro 255**  
Features

- SMS Character: 255 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: ✓
- Multiple Operator: ✓
- Multiple ARFCN: ✓
- SMS Receiver Memory: ✓

**Price: USD 4200,-**



**Hitech Terminal Pro 318**  
Features

- SMS Character: 318 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: ✓
- Multiple Operator: ✓
- Multiple ARFCN: ✓
- SMS Receiver Memory: ✓

**Price: USD 4850,-**



\* Our prices come with **BEST PRICE GUARANTEE**, if you can find someone else sell this kind of machine with lower price with us, please capture screen it and send to us for inquiry lower prices

\* All products come with one Year warranty



## Hitech Terminal Pro 318 Auto Features

- SMS Character: 318 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: ✓
- Multiple Operator: ✓
- Multiple ARFCN: ✓
- SMS Receiver Memory: ✓
- AUTO ARFCN: ✓
- AUTO Switch Operator: ✓

**Price: USD 6150**



## Hitech Terminal Mini Features

- SMS Character: 318 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: ✓
- Multiple Operator: ✓
- Multiple ARFCN: ✓
- SMS Receiver Memory: ✓
- AUTO ARFCN: ✓
- AUTO Switch Operator: ✓
- 

**Price: USD 6850**



\* Our prices come with **BEST PRICE GUARANTEE**, if you can find someone else sell this kind of machine with lower price with us, please capture screen it and send to us for inquiry lower prices

\* All products come with one Year warranty



## Hitech Terminal Server Pro

### Features

- SMS Character: 318 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: ✓
- Multiple Operator: ✓
- Multiple ARFCN: ✓
- SMS Receiver Memory: ✓
- AUTO ARFCN: ✓
- AUTO Switch Operator: ✓
- Plug & Play: ✓
- IMSI Cacher: ✓
- Real Count: ✓
- Split Operator Report ✓
- GPS Built-in ✓
- Website & Apps Management ✓

**Price: USD 7850**



## Hitech Terminal Server Mini

### Features

- SMS Character: 318 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: ✓
- Multiple Operator: ✓
- Multiple ARFCN: ✓
- SMS Receiver Memory: ✓
- AUTO ARFCN: ✓
- AUTO Switch Operator: ✓
- Plug & Play: ✓
- IMSI Cacher: ✓
- Real Count: ✓
- Split Operator Report ✓
- GPS Built-in ✓
- Website & Apps Management ✓

**Price: USD 8500**

**\* All Hitech Terminal Server products is available to remote by Website and Mobile Application although the devices is switched off**

**\* Bestest Features with Online Upgrades features inside the Apps**

**\* Our prices come with BEST PRICE GUARANTEE. If you can find someone else sell this kind of machine with lower price with us, please capture screen it and send to us for inquiry lower prices**

**\* All products come with one Year warranty**



## Hitech Terminal Enterprise Features

- SMS Character: 400 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: Limited to 5 Task
- Multiple Operator: ✓
- Multiple ARFCN: Single
- Sender Name: ✓
- AUTO ARFCN: ✓
- Plug & Play: ✓
- IMSI Cacher: ✓
- Flash Messages ✓

**Price: USD 7500,-**



## Hitech Terminal Enterprise 4G Features

- SMS Character: 400 Characters
- Speed: Up to 50.000 SMS / hour\*
- Radius: up to 500m - 5km\*
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Sender Number Unlocked: ✓
- Portable: ✓
- Car Support: ✓
- Unlimited Task: Limited to 5 Task
- Multiple Operator: ✓
- Multiple ARFCN: Single
- Sender Name: ✓
- AUTO ARFCN: ✓
- Plug & Play: ✓
- IMSI Cacher: ✓
- Flash Messages ✓
- Machine already built in extra 4G Module Reducer with Superfast ability to send to 4G Mobile Phones. (Double Antenna in one Machine)

**Price: USD 13500,-**



## Hitech Terminal Enterprise Expert Features

- The Most Expert SMS Broadcaster in the World, Can Broadcaster to all Networks 2G 3G 4G even 5G (Optional Upgrade for Future).
- SMS Characters upto 1200 Characters in Single SMS
- Support all Features for SMS Broadcasting Products in the World.
- This products are designed for our customer which installed in Casino ,Hotel & Spa Company, and this equipments is strongest SMS Broadcaster you can found in the market.
- This is using stand alone BTS technology, no need anymore input ARFCN, No need anymore Nokia or Android Phone to Find the Frequencies, all works automatically.
- Very Suitable for Licensed Enterprise and Governments.

**Price: USD 29000,-**

\* Our prices come with **BEST PRICE GUARANTEE**, if you can find someone else sell this kind of machine with lower price with us, please capture screen it and send to us for inquiry lower prices

\* All products come with one Year warranty

\* All Hitech Terminal Enterprise products is available to send by Sender Name



## Hitech Phone Number Catcher Features

- This Device is using for catch nearby Phone Number only, and can not using for Broadcasting SMS, you will get this 3 information: MSIDN, IMSI, and IMEI Numbers.
- Radius within 500m-2km\*
- Plug & Play: ✓
- IMSI Cacher: ✓
- IMEI Cacher: ✓
- Real Count: ✓
- Multiple Access: ✓
- Wifi Built-in: ✓
- 100% Free: ✓
- Portable: ✓
- Car Support: ✓

**Price: USD 7500,-**



\* Our prices come with **BEST PRICE GUARANTEE**, if you can find someone else sell this kind of machine with lower price with us, please capture screen it and send to us for inquiry lower prices

\* All products come with one Year warranty

## Specification

### Hitech Terminal Pro 70

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

### Hitech Terminal Pro 255

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

### Hitech Terminal Pro 318 NOS & 318 Auto

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

### Hitech Terminal Mini

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

### Hitech Terminal Server Pro

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

### Hitech Terminal Server Mini

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

### Hitech Terminal Enterprise Pro, 4G, and Expert

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

### Hitech Phone Number Catcher & Hitech Enterprise Capsule

#### Specification:

- Broadcast Penetration: GSM, UMTS, 3G, LTE
- Frequency Band: 800, 900, 1700, 1800, 1900, 2100, 2600
- Country Selected: Selected Country or Worldwide
- TX Unit On Board: 5x Simultaneous
- Optional Antenna: Omni, Fiber Glass, Shark fin
- CPU: INTEL CPU LGA1155
- CPU Processor: Intel HM56
- Harddrive: Sandisk 32GB Sata
- Ram: Kingston 4GB DDR3
- Operating Hour: 24 Hours
- 220v AC Power
- 12v battery Minimum 60Ah
- Operating temperature max 45C
- Power consumption max 235 Watts
- Noise Levels when operating 50 70 dB
- Working Frequency range 800 ~ 2700 MHz
- IEEE 802.11ac (Wi-Fi) wifi, 5MHz bandwidth
- Remote switch transmitter signal range up to 10m

# FEATURES INFORMATION



## **SMS CHARACTER**

70 - 1200  
Character  
in 1 SMS



## **Multiple Access**

Can operated  
from Laptop &  
Smartphone  
together



## **SENDER NAME**

Send with  
**YOURBRAND**  
alphanumeric  
sender




## **100% FREE**

No need credit,  
No need  
internet,  
No need  
database



## **SPEED**

More than  
50.000 / hour



## **SMS RECEIVER MEMORY**

Will not resend SMS  
to the same number  
before you reset



## **WIFI BUILT-IN**

Wifi Built-in  
with security  
Login



## **SENDER NUMBER UNLCOED**

You can input  
sender from  
any number



## **UNLIMITED SMS TASK**

You can create  
unlimited SMS  
task and  
content



## **MULTIPLE OPERATOR**

Support all  
Operator



## **RADIUS**

Up to  
500m - 5km



## **PORTABLE**

Easy to carry



## **PLUG & PLAY**

Just Plug the  
machine and  
its will send  
automatically  
, no need set  
anythings



## **CAR SUPPORT**

Can installed at  
Car for Mobile



## **MULTIPLE ARFCN**

Multiple  
Ranges, more  
faster



## **AUTO ARFCN**

Built-in  
Frequency  
Finder



## **AUTO SWITCH**

Auto Switch  
Operator with  
time setting



## **IMSI CACHER**

Built-in  
IMSI Cacher  
Feature



## **IMEI CACHER**

Built-in  
IMEI Cacher  
Feature



## **GPS BUILT-IN**

Can track your  
machines  
position from  
website&Apps



## **REAL COUNT**

Real Sending  
Count  
Report



## **SPY CALL**

Make a spy call  
to your  
machines and  
listening  
surrounding



## **SPLIT OPERATOR REPORT**

SMS Sent  
Count Report  
each Operator



## **WEBSITE and APPS MANAGEMENT**

One stop  
management  
from one  
account login at  
Website/Mobile



## **FLASH SMS**

Send Flash SMS  
which can  
Pop Up and  
open  
immediately



and many more  
hidden  
Features and  
upcoming  
Features....